

FIG. 1






FIG. 2




FIG. 3





FIG. 4





I F 2% - Test.mpg
File: C:\Movies\Test:mpg Abort
212 Max Bandwidth: 1.800 Mbits/sec
800 of 308 320 MB
Elapsed: 00:01:40 208 206 2.85 % 218 — Remaining: 00:21:57
07/25/05:53:24: Connecting to 10.1.1.3. 07/25 05:53:24: Starting file transfer to server CLENT2 (5 stream(s) Triple-DES encryption) 07/25 05:53:59: Stream Thread #2: Send of data to 10.1.1.3 failed: Connection reset by peer. 07/25 05:53:59: Reconnecting in 30 seconds 07/25 05:53:59: Connecting to 10.1.1.3 07/25 05:54:41: File already exists on server CLIENT2 starting at byte offset 3379200 (5 stream(s) Triple-DES encryption)
702

FIG. 6

[]] PPLFFTServer	er			THE PARTY OF							
Supported Encry	ption Algorith	Supported Encryption Algorithms: No Encryption, Triple-DES	ple-DES262	2 — 264	7 266	7 268	(- 270	- 272	- 274	. 276
ID Hostname 15 LANCE2 18 CLIENT2	me 2 .2	File Test.mpg tw1.5.mpg	Streams 5	File Size 308.320 MB 597.854 MB	Transferred 59.300 MB 59.900 MB	Percent 19.23 % 10.02 %	Elapsed 00:04:14 00:00:08	Bemaining 00:19:00 00:01:18	Throughput E 1.789 Mbits 56.035 Mbits	Encryption Triple-DE: None	
رسدون در الماسين					ζÝ	-254-					
	Section Company of the Company of th			nde ene animanamentana	C. TO CALGORIAN COMMONDAL AND	A Mary Land Company			e de la companya de l	and the state of t	
07/25 05:52:34: 07/25 05:53:26: 07/25 05:53:27:		(14) Stream Thread #1: Client has closed data stream (15) Received connection from client, 10.1.1.2 (15) Transfer of Test mpg (315719580 bytes) from LANCE2 commencing at byte 3379200	closed data stream ent 10 1.1.2 1680 bytes) from LANC	E2 commencing a	t byte 3379200						
07/25 05:55:28 07/25 05:55:28 07/25 05:56:38	(16) Received (16) Transf (16) Client	ved connection from cli fer of tw1.5 mpg (61220 has aborted transfer c	ient 10.1.1.3 12596 bytes) from CLIE Jeleting partial file	NT2.commencing	at byte 0	,52-					
07/25 05:55:48 07/25 05:57:07:	ا ئسانسان	(17) Transfer of twi 5 mpg (612202596 bytes) from CLIENT2 commencing at byte 0 (17) Client has aborted transfer – deleting partial file	lent 10.1.1.3 2596 bytes) from CLIE Jeleting partial file	NT2 commencing	at byte 0	i Ž					
07/25 05:57:32 07/25 05:57:32		18) Transfer of tw1.5 mpg (612202596 bytes) from CLIENT2 commencing at byte 0	ent 10.13 12596 bytes) from CLIE	NT2 commencing	at byte 0			and the property of the state o	; ;		
				And the second s	- X X	The same of the sa		And the second s	The second secon		

FIG. 7

